

AENOR



AENOR Product Certificate



001/004461

AENOR certifies that the organization

NUEVA TERRAIN, S.L.

registered office CL PADULETA, 2 01195 VITORIA (Araba/Alava - España)

supplies **Fittings for polybutylene (PB) pipes for hot and cold water installations**

in compliance with UNE-EN ISO 15876-1:2017 (EN ISO 15876-1:2017)
UNE-EN ISO 15876-3:2017 (EN ISO 15876-3:2017)

TRADEMARK SDP


See annex for more information.

Production site PI JUNDIZ "E" - CL PADULETA, 2 01195 VITORIA (Alava - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.18.

First issued on 2008-04-03
Last issued on 2026-01-03
Validity 2031-01-03

Rafael GARCÍA MEIRO
CEO



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

001/004461

Annex to Certificate

TRADEMARK SDP

REFERENCE	FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY	TYPE OF JOINT	MATERIAL
FC XX.XX / FC XX.XX.XX	Colector / Manifold	22x15x15x22; 22x15x15x15x22; 22x15x15x15x22; 25x15x15x25; 25x15x15x15x25; 25x16x16x25; 25x16x16x16x25	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC XX.XX / FC XX.XX.XX	Te reducida / Reduced tee	20x20x16; 22x22x15; 25x25x15; 25x25x16; 20x16x20; 22x15x22; 25x15x25; 25x16x25; 25x22x25; 28x22x28; 28x15x28; 32x22x32; 32x25x32; 32x28x32; 20x16x16; 22x15x15; 25x15x15; 25x16x16; 25x20x20; 25x22x22; 25x25x20; 25x20x25; 40x25x40; 40x32x40; 50x25x50; 50x32x50	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC XX.XX.3 / FC XX.XX.XX.3	Colector Hembra-Macho/ Manifold Female-Male	22x15x15x22; 22x15x15x25; 25x16x16x25; 25x20x20x25; 22x15x15x15x22	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 1.XX	Manguito / Socket	15 - 16 - 20 - 22 - 25 - 28 - 32 - 40 - 50	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 10.XX	Te bocas iguales / Equal tee	15x15; 16x16; 20x20; 22x22; 25x25; 28x28; 32x32; 40x40; 50x50	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 2.XX / FC 2.XX.XX	Reductor Macho-Hembra / Reducer Male-Female	15 M x 16 H; 20 M x 16 H; 22 M x 20 H; 22 M x 15 H; 25 M x 16 H; 25 M x 20 H; 25 M x 22 H; 25 M x 28 H; 22 M x 25 H; 28 M x 25 H; 28 M x 22 H; 32 M x 25 H; 32 M x 28 H; 40 M x 25 H; 40 M x 32 H; 50 M x 25 H; 50 M x 32 H; 50 M x 40 H	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)

First issued on 2008-04-03
Last issued on 2026-01-03
Validity 2031-01-03



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

AENOR Product Certificate

001/004461

Annex to Certificate

REFERENCE	FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY	TYPE OF JOINT	MATERIAL
FC 3.32.25	Reductor Macho-Macho / Reducer Male-Male	32 M x 28 M	1/10; 2/10; 4/10; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 4001.XX	Manguito / Socket	16x16; 20x20; 25x25; 32x32; 40x40; 50x50; 63x63	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4002.XX.XX	Reductor Macho-Hembra / Reducer Male-Female	20 M x 16 H; 25 M x 16 H; 25 M x 20 H; 32 M x 25 H; 40 M x 25 H; 40 M x 32 H; 50 M x 32 H; 50 M x 40 H; 63 M x 40 H; 63 M x 50 H	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4005.XX.45	Codo a 45° / Elbow 45°	32x32; 40x40; 50x50	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4005.XX.90	Codo a 90° / Elbow 90°	16x16; 20x20; 25x25; 32x32; 40x40; 50x50; 63x63	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4010.XX	Te bocas iguales / Equal tee	16x16x16; 20x20x20; 25x25x25; 32x32x32; 40x40x40; 50x50x50; 63x63x63	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4013.XX.XX	Te reducida / Reduced tee	20x16x20; 25x16x25; 25x20x25; 32x16x32; 32x20x32; 32x25x32; 40x25x40; 50x25x50; 63x25x63	1/10; 2/10; 4/10; 5/8	Sí / yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4015.25.16	Colector dos derivaciones / Manifold 2 ways	25x16x16x25 M - 20 H	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4017.25.16	Colector tres derivaciones / Manifold 3 ways	25x16x16x16x25 M - 20 H	1/10; 2/10; 4/10; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)

First issued on 2008-04-03
Last issued on 2026-01-03
Validity 2031-01-03



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

001/004461

Annex to Certificate

REFERENCE	FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY	TYPE OF JOINT	MATERIAL
FC 4018.XX.16	Colector cuatro derivaciones / Manifold 4 ways	25x16x16x16x16x25 M - 20 H ; 32x16x16x16x16x32 M - 25 H	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4029.XX.XX	Adaptador a unión mecánica / Adaptor mechanical join	H fus. 16 x M mec. 15 ; H fus. 20 x M mec. 22	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4030.XX / FC 4031.XX	Transición a rosca / Transition	16 M x 1/2" H ; 20 M x 1/2" H ; 25 M x 3/4" H ; 16 M x 1/2" M ; 20 M x 1/2" M ; 25 M x 3/4" M	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 4041.XX	Tapones / End cap	16 H ; 20 H ; 25 H ; 32 H ; 40 H ; 50 ; 63	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Termofusión / Thermofusion	Polibutileno (PB) / Polybutylene (PB)
FC 5.XX	Codo a 90° / Elbow 90°	15x15 ; 16x16 ; 20x20 ; 22x22 ; 25x25 ; 28x28 ; 32x32 ; 40x40 ; 50x50	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 5.XX.3	Codo a 90° Macho-Hembra / Elbow 90° Male-Female	15x15 ; 16x16 ; 20x20 ; 22x22 ; 25x25 ; 28x28 ; 32x32	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)
FC 5.XX.45	Codo a 45° / Elbow 45°	40x40 ; 50x50	1/10 ; 2/10 ; 4/10 ; 5/8	Sí / Yes	Mecánica / Mechanical	Polibutileno (PB) / Polybutylene (PB)

First issued on 2008-04-03
Last issued on 2026-01-03
Validity 2031-01-03



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com