



AENOR Product Certificate



001/005110

AENOR certifies that the organization

NUEVA TERRAIN, S.L.

registered office CL PADULETA, 2 01195 VITORIA (Araba/Alava - España)

supplies **Plastics piping system for hot and cold water installations. Polybutylene (PB)**

in compliance with UNE-EN ISO 15876-1:2017 (EN ISO 15876-1:2017)
UNE-EN ISO 15876-5:2017 (EN ISO 15876-5:2017)

System description Trademark: SISTEMA SDP
Type of joint: Mechanical - Thermofusion
Aplication class/Desing Pressure (bar): 1/10 ; 2/10 ; 4/10 ; 5/8

See annex for more information.

Production site PI JUNDIZ "E" - CL PADULETA, 2 01195 VITORIA (Alava - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.18.

First issued on 2009-12-03
Last issued on 2024-12-03
Validity 2029-12-03

Rafael GARCÍA MEIRO
CEO



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

001/005110

Annex to Certificate

System description Trademark: SISTEMA SDP
 Type of joint: Mechanical - Thermofusion
 Aplication class/Desing Pressure (bar): 1/10 ; 2/10 ; 4/10 ; 5/8

SYSTEM COMPONENT	DIAMETERS (mm)	MATERIAL	REFERENCES
Pipes (AENOR Certificate 001/005556)	15 - 16 - 20 - 22 - 25 - 28 - 32 - 40 - 50 - 63	Polybutylene (PB)	- - -
Adaptor mechanical join	H fus. 16 x M mec. 15 ; H fus. 20 x M mec. 22	Polybutylene (PB)	FC 4029.XX.XX
Elbow 45°	32 x 32 ; 40 x 40 ; 50 x 50	Polybutylene (PB)	FC 4005.XX.45
Elbow 45°	40 x 40 ; 50 x 50	Polybutylene (PB)	FC 5.XX.45
Elbow 90°	16 x 16 ; 20 x 20 ; 25 x 25 ; 32 x 32 ; 40 x 40 ; 50 x 50 ; 63 x 63	Polybutylene (PB)	FC 4005.XX.90
Elbow 90°	15 x 15 ; 16 x 16 ; 20 x 20 ; 22 x 22 ; 25 x 25 ; 28 x 28 ; 32 x 32 ; 40 x 40 ; 50 x 50	Polybutylene (PB)	FC 5.XX
Elbow 90° male-female	15 x 15 ; 16 x 16 ; 20 x 20 ; 22 x 22 ; 25 x 25 ; 28 x 28 ; 32 x 32	Polybutylene (PB)	FC 5.XX.3
End cap	16 H ; 20 H ; 25 H ; 32 H ; 40 H ; 50 ; 63	Polybutylene (PB)	FC 4041.XX
Equal tee	15 x 15 ; 16 x 16 ; 20 x 20 ; 22 x 22 ; 25 x 25 ; 28 x 28 ; 32 x 32 ; 40 x 40 ; 50 x 50	Polybutylene (PB)	FC 10.XX
Equal tee	16 x 16 x 16 ; 20 x 20 x 20 ; 25 x 25 x 25 ; 32 x 32 x 32 ; 40 x 40 x 40 ; 50 x 50 x 50 ; 63 x 63 x 63	Polybutylene (PB)	FC 4010.XX
Manifold	22 x 15 x 15 x 22 ; 22 x 16 x 16 x 22 ; 22 x 15 x 15 x 15 x 22 ; 22 x 15 x 15 x 15 x 22 ; 25 x 15 x 15 x 25 ; 25 x 15 x 15 x 15 x 25 ; 25 x 16 x 16 x 25	Polybutylene (PB)	FC XX.XX / FC XX.XX.XX
Manifold 2 ways	25 x 16 x 16 x 25 M - 20 H	Polybutylene (PB)	FC 4015.25.16
Manifold 3 ways	25 x 16 x 16 x 16 x 25 M - 20 H	Polybutylene (PB)	FC 4017.25.16
Manifold 4 ways	25 x 16 x 16 x 16 x 16 x 25 M - 20 H ; 32 x 16 x 16 x 16 x 16 x 32 M - 25 H	Polybutylene (PB)	FC 4018.XX.16
Manifold female-male	22 x 15 x 15 x 22 ; 22 x 15 x 15 x 25 ; 25 x 16 x 16 x 16 x 25 ; 25 x 20 x 20 x 25 ; 22 x 15 x 15 x 22	Polybutylene (PB)	FC XX.XX.3 / FC XX.XX.XX.3
Reduced tee	20 x 20 x 16 ; 22 x 22 x 15 ; 25 x 25 x 15 ; 25 x 25 x 16 ; 20 x 16 x 20 ; 22 x 15 x 22 ; 25 x 15 x 25 ; 25 x 16 x 25 ; 25 x 22 x 25 ; 28 x 22 x 28 ; 28 x 15 x 28 ; 32 x 22 x 32 ; 32 x 25 x 32 ; 32 x 28 x 32 ; 20 x 16 x 16 ; 22 x 15 x 15 ; 25 x 15 x 15 ; 25 x 16 x 16 ; 25 x 20 x 20 ; 25 x 22 x 22 ; 25 x 25 x 20 ; 25 x 20 x 25 ; 40 x 25 x 40 ; 40 x 32 x 40 ; 50 x 25 x 50 ; 50 x 32 x 50	Polybutylene (PB)	FC XX.XX / FC XX.XX.XX
Reducer Male-Female	15 M x 16 H ; 20 M x 16 H ; 22 M x 20 H ; 22 M x 15 H ; 25 M x 16 H ; 25 M x 20 H ; 25 M x 22 H ; 25 M x 28 H ; 22 M x 25 H ; 28 M x 25 H ; 28 M x 22 H ; 32 M x 25 H ; 32 M x 28 H ; 40 M x 25 H ; 40 M x 32 H ; 50 M x 25 H ; 50 M x 32 H ; 50 M x 40 H	Polybutylene (PB)	FC 2.XX / FC 2.XX.XX
Reducer Male-Female	20 M x 16 H ; 25 M x 16 H ; 25 M x 20 H ; 32 M x 25 H ; 40 M x 25 H ; 40 M x 32 H ; 50 M x 32 H ; 50 M x 40 H ; 60 M x 40 H ; 63 M x 50 H	Polybutylene (PB)	FC 4002.XX.XX

First issued on 2009-12-03
 Last issued on 2024-12-03
 Validity 2029-12-03



AENOR CONFÍA S.A.U.
 Génova, 6. 28004 Madrid. España
 Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

001/005110

Annex to Certificate

SYSTEM COMPONENT	DIAMETERS (mm)	MATERIAL	REFERENCES
Reducer Male-Male	32 M x 28 M	Polybutylene (PB)	FC 3.32.25
Reducer tee	20 x 16 x 20 ; 25 x 16 x 25 ; 25 x 20 x 25 ; 32 x 16 x 32 ; 32 x 20 x 32 ; 32 x 25 x 32 ; 40 x 25 x 40 ; 50 x 25 x 50 ; 63 x 25 x 63	Polybutylene (PB)	FC 4013.XX.XX
Socket	15 - 16 - 20 - 22 - 25 - 28 - 32 - 40 - 50	Polybutylene (PB)	FC 1.XX
Socket	16 x 16 ; 20 x 20 ; 25 x 25 ; 32 x 32 ; 40 x 40 ; 50 x 50 ; 63 x 63	Polybutylene (PB)	FC 4001.XX
Transition	16 M x 1/2" H ; 20 M x 1/2" H ; 25 M x 3/4" H ; 16 M x 1/2" M ; 20 M x 1/2" M ; 25 M x 3/4" M	Polybutylene (PB)	FC 4030.XX / FC 4031.XX

First issued on 2009-12-03
Last issued on 2024-12-03
Validity 2029-12-03



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com